

Customer API endpoints

1. [Overview](#)
2. [Customers endpoints](#)
3. [Discounts endpoints](#)
4. [Customer groups endpoints](#)
5. [Error handling](#)

Overview

This API provides methods for customer service: access to customers, customer groups, customer discounts and other similar entities.

Version information

Version : v3.0

URI scheme

Hostname is the same as your POS Cloud.

BasePath : /api/customer/v3.0

Headers:

X-Token : You can obtain this token in the Cloud

X-Operator : operator id reflects parental units for all venues. Customer database is tied with an operator id, thus it is important to use the correct id in order to get the relevant data. Make sure your token allows to access the given operator, you can check it in the cloud.

Customer endpoints

Get customer by id

Method: GET

URL: /customers/{customerId}

Headers: X-Token, X-Operator

Response:

HTTP Status: 200

```
{
  "customer": {
    "id": "231b949c-332b-4194-aba5-8f00e828a49b",
    "number": "1",
    "active": true,
    "gender": "U",
    "salutation": "Mr",
    "birthday": "2000-01-30",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winterfell",
    "companyPosition": "manager",
    "language": "EN",
    "description": "string",
    "balance": "100.00",
    "currency": "EUR",
    "customerGroup": {
      "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69",
      "name": "Stammkunden"
    },
  },
  "addresses": [
    {
      "street": "Greifswalder Str. 206",
      "zip": "10405",
      "city": "Berlin",
      "building": "10",
      "country": "Germany"
    }
  ],
  "emails": [
    "3@3.com",
    "4@4.com"
  ],
}
```

```
    "socials": [  
      "facebook1"  
    ],  
    "phones": [  
      "44443333222",  
      "7778855"  
    ],  
    "urls": [  
      "ur13",  
      "ur11",  
      "ur12"  
    ]  
  }  
}
```

Create customer

Method: POST

URL: /customers

Headers: X-Token, X-Operator

Request:

```
{
  "number": "1",
  "active": true,
  "gender": "U",
  "salutation": "Mr",
  "birthday": "2000-01-30",
  "title": "Herr",
  "firstName": "Dima",
  "lastName": "Hede",
  "companyName": "Winterfell",
  "companyPosition": "manager",
  "language": "EN",
  "description": "string",
  "balance": "100.00",
  "currency": "EUR",
  "customerGroup": {
    "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
  },
  "addresses": [
    {
      "street": "Greifswalder Str. 206",
      "zip": "10405",
      "city": "Berlin",
      "building": "10",
      "country": "Germany"
    }
  ],
  "emails": [
    "3@3.com",
    "4@4.com"
  ],
  "socials": [
    "facebook1"
  ],
  "phones": [
    "44443333222",
    "7778855"
  ],
  "urls": [
    "url3",
    "url1",
    "url2"
  ]
}
```

Field	Type	Description	Example	Default	Restrictions
number	required	customer number, used for identification in the POS. It is not an id, i.e. not unique. length: 0..255. Cloud uses customer database for storing voucher information as well. Vouchers do normally have only number and group assigned.	"1"		not blank, max length 255
active	optional	boolean indicator, if true, the customer can be found in the POS	false	true	
gender	optional	indicates the gender of the customer, can be "M", "W" or "U" if not specified	"M"	"U"	max length 5
title	optional	a title of customer	"Doctor"		max length 50
salutation	optional	a salutation is a greeting used in a written or non-written communication.	"Mr."		max length 50
birthday	optional	date of birth of the customer	"1980-05-28"		length 10, format YYYY-MM-DD
firstName	optional	first name of the customer	"Miles"		max length 100
lastName	optional	last name of the customer	"Bennet Dyson"		max length 100
companyName	optional	name of the company the customer works in	"Cyberdyne systems corporation"		max length 255

Field	Type	Description	Example	Default	Restrictions
companyPosition	optional	the name of the position of the customer	"Manager"		max length 255
customerGroup	required	enclosed object, reflects the group, the customer belongs to. Groups are used for the classification of customers.	{}		
customerGroup.id	required	id of the group. Use ids of the existing groups for /customers requests.	"5ffe851c-ddb2-4ddb-9325-b8a587db0b12"		
customerGroup.name	read-only	name of the group. Can be changed via 'customer group'	"Regular"		
addresses	optional	enclosed array of objects, every of which contains information about customer's address	[{}]		
addresses.street	optional	name of the street, belongs to customer's addresses object	"Berliner Str."		max length 255
addresses.building	optional	number of building, belongs to customer's addresses object	"33"		max length 100
addresses.zip	optional	zip code, belongs to customer's address object	"16321"		max length 50
addresses.city	optional	name of the city, belongs to customer's address object	"Bernau"		max length 255

Field	Type	Description	Example	Default	Restrictions
addresses.country	optional	name of the country, belongs to customer's address object	"Germany"		
emails	optional	array, containing e-mails of the customer	"email@funnydomain.com"		max length 100
phones	optional	array, containing phone number of the customer	"555-1234"		max length 50
urls	optional	array, containing url-address of the customer	"sample.com"		max length 255
socials	optional	array, containing links to the social network accounts of the customer	"facebook.com/john_snow"		max length 255
language	optional	language the customer prefers. you can get the list of language codes using the /globals endpoint	"DE"		
description	optional	any additional information you want to add			
currency	read-only	official currency abbreviation	"EUR"		
balance	read-only	credit?	"13.00"		

Response:

HTTP Status: 201

```
{
  "customer":
  {
    "id": "231b949c-332b-4194-aba5-8f00e828a49b",
    "number": "1",
    "active": true,
    "gender": "U",
    "salutation": "Mr",
    "birthday": "2000-01-30",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winterfell",
    "companyPosition": "manager",
    "language": "EN",
    "description": "string",
    "customerGroup": {
      "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
    },
    "addresses": [
      {
        "id": "9a17ff45-e41b-43b1-98e4-1ec74ae0681f",
        "street": "Greifswalder Str. 206",
        "zip": "10405",
        "city": "Berlin",
        "building": "10",
        "country": "DE"
      }
    ],
    "emails": [
      "3@3.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222",
      "7778855"
    ],
    "urls": [
      "url3",
      "url1",
      "url2"
    ]
  }
}
```


Edit customer

Method: PUT

URL: /customers/{customerId}

Headers: X-Token, X-Operator

Request:

```
{
  "number": "1",
  "active": true,
  "gender": "U",
  "salutation": "Mr",
  "birthday": "2000-01-30",
  "title": "Herr",
  "firstName": "Dima",
  "lastName": "Hede",
  "companyName": "Winterfell",
  "companyPosition": "manager",
  "language": "EN",
  "description": "string",
  "customerGroup": {
    "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
  },
  "addresses": [
    {
      "street": "Greifswalder Str. 206",
      "zip": "10405",
      "city": "Berlin",
      "building": "10",
      "country": "DE"
    }
  ],
  "emails": [
    "3@3.com",
    "4@4.com"
  ],
  "socials": [
    "facebook1"
  ],
  "phones": [
    "44443333222",
    "7778855"
  ],
  "urls": [
    "url3",
    "url1",
    "url2"
  ]
}
```

Response:

HTTP Status: - 201 if customer with customerId was created - 200 if customer with customerId was already presented and data was overwritten

```
{
  "customer": {
    "id": "231b949c-332b-4194-aba5-8f00e828a49b",
    "number": "1",
    "active": true,
    "gender": "U",
    "salutation": "Mr",
    "birthday": "2000-01-30",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winterfell",
    "companyPosition": "manager",
    "language": "EN",
    "description": "string",
    "customerGroup": {
      "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
    },
    "addresses": [
      {
        "id": "9a17ff45-e41b-43b1-98e4-1ec74ae0681f",
        "street": "Greifswalder Str. 206",
        "zip": "10405",
        "city": "Berlin",
        "building": "10",
        "country": "DE"
      }
    ],
    "emails": [
      "3@3.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222",
      "7778855"
    ],
    "urls": [
      "url3",
      "url1",
      "url2"
    ]
  }
}
```

Patch customer

Method: PATCH

URL: /customers/{customerId}

Headers: X-Token, X-Operator

Request:

```
{
  "number": "5",
  "active": false,
  "addresses": [
    {
      "id": "9a17ff45-e41b-43b1-98e4-1ec74ae0681f",
      "street": "Greifswalder Str. 206",
      "zip": "20000",
      "building": "20"
    },
    {
      "city": "London",
      "zip": "1412",
      "street": "Baker",
      "building": "221b",
      "country": "GB"
    }
  ],
  "emails": [
    "1@1.com",
    "4@4.com"
  ],
  "socials": [
    "facebook1"
  ],
  "phones": [
    "44443333222"
  ],
  "urls": [
    "ur13",
    "ur11",
    "ur12"
  ]
}
```

Response:

HTTP Status: 200

```
{ "customer":
  {
    "number": "5",
    "active": false,
    "addresses": [
      {
        "id": "9a17ff45-e41b-43b1-98e4-1ec74ae0681f",
        "street": "Greifswalder Str. 206",
        "zip": "20000",
        "city": "Berlin",
        "building": "20",
        "country": "DE"
      },
      {
        "id": "7b01460e-a1a2-4ac2-8bcf-ce40778c888a",
        "city": "London",
        "zip": "1412",
        "street": "Baker",
        "building": "221b",
        "country": "GB"
      }
    ],
    "emails": [
      "1@1.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222"
    ],
    "urls": [
      "url3",
      "url1",
      "url2"
    ]
  }
}
```

Get list of customers

Method: GET

URL: /customers

Headers: X-Token, X-Operator

Response:

HTTP Status: 200

```
{ "customers":
  [
    "customer": {
      "id": "231b949c-332b-4194-aba5-8f00e828a49b",
      "number": "1",
      "active": true,
      "gender": "U",
      "salutation": "Mr",
      "birthday": "2000-01-30",
      "title": "Herr",
      "firstName": "Dima",
      "lastName": "Hede",
      "companyName": "Winterfell",
      "companyPosition": "manager",
      "language": "EN",
      "description": "string",
      "balance": "100.00",
      "currency": "EUR",
      "customerGroup": {
        "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69",
        "name": "Stammkunden"
      },
    },
    "addresses": [
      {
        "street": "Greifswalder Str. 206",
        "zip": "10405",
        "city": "Berlin",
        "building": "10",
        "country": "Germany"
      }
    ],
    "emails": [
      "3@3.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222",
      "7778855"
    ],
    "urls": [
      "url3",
      "url1".
    ]
  ]
}
```

```
    "url2"  
  ]  
},  
"customer": {  
  "id": "6713f6f3-610f-4038-9014-217e021dddc0",  
  "number": "1",  
  "active": false,  
  "gender": "U",  
  "salutation": "Ms",  
  "birthday": "1990-12-31",  
  "title": "Herr",  
  "firstName": "Dima",  
  "lastName": "Hede",  
  "companyName": "Winterfell",  
  "companyPosition": "manager",  
  "language": "DE",  
  "description": "details",  
  "balance": "200.00",  
  "currency": "USD",  
  "customerGroup": {  
    "id": "410fd33f-d555-40ea-bb70-52c65a82814c",  
    "name": "Stammkunden"  
  },  
  "addresses": [  
    {  
      "city": "London",  
      "zip": "1412",  
      "street": "Baker",  
      "building": "221b",  
      "country": "GB"  
    }  
  ],  
  "emails": [  
    "a@a.com",  
    "b@b.com"  
  ],  
  "socials": [  
    "linkedin2"  
  ],  
  "phones": [  
    "2379187391",  
    "5553328855"  
  ],  
  "urls": [  
    "http://who.is",  
    "https://test.org"  
  ]  
}
```

```
]
}
```

Get list of customers modified since some date

Method: GET

URL: /customers/{startDate}/modified

- startDate: date in format YYYY-MM-DD

Headers: X-Token, X-Operator

Response:

HTTP Status: 200

```
{ "customers":
  [
    {
      "id": "231b949c-332b-4194-aba5-8f00e828a49b",
      "number": "1",
      "active": true,
      "gender": "U",
      "salutation": "Mr",
      "birthday": "2000-01-30",
      "title": "Herr",
      "firstName": "Dima",
      "lastName": "Hede",
      "companyName": "Winterfell",
      "companyPosition": "manager",
      "language": "EN",
      "description": "string",
      "balance": "100.00",
      "currency": "EUR",
      "customerGroup": {
        "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69",
        "name": "Stammkunden"
      },
      "addresses": [
        {
          "street": "Greifswalder Str. 206",
          "zip": "10405",
          "city": "Berlin",
          "building": "10",
          "country": "Germany"
        }
      ],
      "emails": [
        "202.com"
```



```
    "a@b.com",
    "4@4.com"
  ],
  "socials": [
    "facebook1"
  ],
  "phones": [
    "44443333222",
    "7778855"
  ],
  "urls": [
    "url3",
    "url1",
    "url2"
  ]
},
{
  "id": "6713f6f3-610f-4038-9014-217e021dddc0",
  "number": "1",
  "active": false,
  "gender": "U",
  "salutation": "Ms",
  "birthday": "1990-12-31",
  "title": "Herr",
  "firstName": "Dima",
  "lastName": "Hede",
  "companyName": "Winterfell",
  "companyPosition": "manager",
  "language": "DE",
  "description": "details",
  "balance": "200.00",
  "currency": "USD",
  "customerGroup": {
    "id": "410fd33f-d555-40ea-bb70-52c65a82814c",
    "name": "Stammkunden"
  },
  "addresses": [
    {
      "city": "London",
      "zip": "1412",
      "street": "Baker",
      "building": "221b",
      "country": "GB"
    }
  ],
  "emails": [
    "a@a.com",
    "b@b.com"
  ],
}
```

```
    "socials": [
      "linkedin2"
    ],
    "phones": [
      "2379187391",
      "5553328855"
    ],
    "urls": [
      "http://who.is",
      "https://test.org"
    ]
  }
]
}
```

Edit list of customers

Method: PUT

URL: /customers/list

Headers: X-Token, X-Operator

Request:

```
[
  {
    "id": "231b949c-332b-4194-aba5-8f00e828a49b",
    "number": "1",
    "active": true,
    "gender": "U",
    "salutation": "Mr",
    "birthday": "2000-01-30",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winterfell",
    "companyPosition": "manager",
    "language": "EN",
    "description": "string",
    "balance": "100.00",
    "currency": "EUR",
    "customerGroup": {
      "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
    },
    "addresses": [
      {
        "street": "Greifswalder Str. 206",
        "zip": "10405",
```

```

        "city": "Berlin",
        "building": "10",
        "country": "Germany"
    }
],
"emails": [
    "3@3.com",
    "4@4.com"
],
"socials": [
    "facebook1"
],
"phones": [
    "44443333222",
    "7778855"
],
"urls": [
    "url3",
    "url1",
    "url2"
]
},
{
    "id": "6713f6f3-610f-4038-9014-217e021dddc0",
    "number": "1",
    "active": true,
    "customerGroup": {
        "id": "410fd33f-d555-40ea-bb70-52c65a82814c"
    }
}
]

```

Response:

HTTP Status: - 201 if at least one new customer was created - 200 if all of customers were already presented and the whole data was overwritten

```

{ "customers":
  [
    {
      "id": "231b949c-332b-4194-aba5-8f00e828a49b",
      "number": "1",
      "active": true,
      "gender": "U",
      "salutation": "Mr",
      "birthday": "2000-01-30",
      "title": "Herr",

```

```
"firstName": "Dima",
"lastName": "Hede",
"companyName": "Winterfell",
"companyPosition": "manager",
"language": "EN",
"description": "string",
"balance": "100.00",
"currency": "EUR",
"customerGroup": {
  "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69",
  "name": "Stammkunden"
},
"addresses": [
  {
    "street": "Greifswalder Str. 206",
    "zip": "10405",
    "city": "Berlin",
    "building": "10",
    "country": "Germany"
  }
],
"emails": [
  "3@3.com",
  "4@4.com"
],
"socials": [
  "facebook1"
],
"phones": [
  "44443333222",
  "7778855"
],
"urls": [
  "url3",
  "url1",
  "url2"
]
},
{
  "id": "6713f6f3-610f-4038-9014-217e021dddc0",
  "number": "1",
  "active": true,
  "customerGroup": {
    "id": "410fd33f-d555-40ea-bb70-52c65a82814c"
  }
}
]
}
```

Patch list of customers

Method: PATCH

URL: /customers/list

Headers: X-Token, X-Operator

Request:

```
[
  {
    "id": "231b949c-332b-4194-aba5-8f00e828a49b",
    "number": "1",
    "active": true,
    "gender": "U",
    "salutation": "Mr",
    "birthday": "2000-01-30",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winerfell",
    "companyPosition": "manager",
    "language": "EN",
    "description": "string",
    "balance": "100.00",
    "currency": "EUR",
    "customerGroup": {
      "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69"
    },
    "addresses": [
      {
        "street": "Greifswalder Str. 206",
        "zip": "10405",
        "city": "Berlin",
        "building": "10",
        "country": "Germany"
      }
    ],
    "emails": [
      "3@3.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222",
      "7778855"
    ]
  }
]
```

```
    ],
    "urls": [
      "url3",
      "url1",
      "url2"
    ]
  },
  {
    "id": "6713f6f3-610f-4038-9014-217e021dddc0",
    "gender": "U",
    "birthday": "1990-10-13"
  }
]
```

Response:

HTTP Status: 200

```
{ "customers":
  [
    "customer": {
      "id": "231b949c-332b-4194-aba5-8f00e828a49b",
      "number": "1",
      "active": true,
      "gender": "U",
      "salutation": "Mr",
      "birthday": "2000-01-30",
      "title": "Herr",
      "firstName": "Dima",
      "lastName": "Hede",
      "companyName": "Winterfell",
      "companyPosition": "manager",
      "language": "EN",
      "description": "string",
      "balance": "100.00",
      "currency": "EUR",
      "customerGroup": {
        "id": "9168aa78-e0a3-42ec-a43c-87f0ad666f69",
        "name": "Stammkunden"
      },
    },
    "addresses": [
      {
        "street": "Greifswalder Str. 206",
        "zip": "10405",
        "city": "Berlin",
        "building": "10",
        "country": "Germany"
      }
    ]
  ]
}
```

```
    ],
    "emails": [
      "3@3.com",
      "4@4.com"
    ],
    "socials": [
      "facebook1"
    ],
    "phones": [
      "44443333222",
      "7778855"
    ],
    "urls": [
      "url3",
      "url1",
      "url2"
    ]
  },
  "customer": {
    "id": "6713f6f3-610f-4038-9014-217e021dddc0",
    "number": "1",
    "active": false,
    "gender": "U",
    "salutation": "Ms",
    "birthday": "1990-10-13",
    "title": "Herr",
    "firstName": "Dima",
    "lastName": "Hede",
    "companyName": "Winterfell",
    "companyPosition": "manager",
    "language": "DE",
    "description": "details",
    "balance": "200.00",
    "currency": "USD",
    "customerGroup": {
      "id": "410fd33f-d555-40ea-bb70-52c65a82814c",
      "name": "Stammkunden"
    }
  },
  "addresses": [
    {
      "city": "London",
      "zip": "1412",
      "street": "Baker",
      "building": "221b",
      "country": "GB"
    }
  ],
  "emails": [
    "3@3.com"
```

```
      "a@a.com",
      "b@b.com"
    ],
    "socials": [
      "linkedin2"
    ],
    "phones": [
      "2379187391",
      "5553328855"
    ],
    "urls": [
      "http://example.com",
      "https://sample.com"
    ]
  }
]
```

Discount endpoints

Create discount

Method: POST

URL: /discounts

Headers: X-Token, X-Operator

Request:

```
{
  "name": "5 proz",
  "value": 5,
  "absolute": false,
  "checkDiscountable": false
}
```

Response:


```
{ "customerDiscount":
  {
    "id": 1,
    "name": "5 proz",
    "value": 5,
    "absolute": false,
    "checkDiscountable": false
  }
}
```

Edit discount

Method: PUT

URL: /discounts/{customerDiscountId}

Headers: X-Token, X-Operator

Request:

```
{
  "name": "7 proz",
  "value": 7,
  "absolute": false,
  "checkDiscountable": false
}
```

Response:

```
{ "customerDiscount":
  {
    "id": 1,
    "name": "7 proz",
    "value": 7,
    "absolute": false,
    "checkDiscountable": false
  }
}
```

Patch discount

Method: PATCH

URL: /discounts/{customerDiscountId}

Headers: X-Token, X-Operator

Request:

```
{
  "absolute": true
}
```

Response:

```
{ "customerDiscount":
  {
    "id": 1,
    "name": "7 proz",
    "value": 7,
    "absolute": true,
    "checkDiscountable": false
  }
}
```

Get all discounts

Method: GET

URL: /discounts

Headers: X-Token, X-Operator

Response:

```
{ "customerDiscounts":
  [
    {
      "id": 1,
      "name": "7 proz",
      "value": 7,
      "absolute": true,
      "checkDiscountable": false
    },
    {...}
  ]
}
```

Get discount by id

Method: GET

URL: /discounts/{customerDiscountId}

Headers: X-Token, X-Operator

Response:

```
{ "customerDiscount":
  {
    "id": 1,
    "name": "7 proz",
    "value": 7,
    "absolute": true,
    "checkDiscountable": false
  }
}
```

Delete discount

Method: DELETE

URL: /discounts/{customerDiscountId}

Headers: X-Token, X-Operator

Response:

```
{"result": { "details": "Customer discount 1 was deleted" } }
```

Customer group endpoints

Create customer group

Method: POST

URL: /groups

Headers: X-Token, X-Operator

Request:

```
{
  "name": "customer group name",
  "discount": {
    "id": 13
  }
}
```

Response:

```
{ "customerGroup":
  {
    "id": 1,
    "name": "customer group name",
    "discount": {
      "id": 13,
      "name": "name of discount with id 13"
    }
  }
}
```

Edit customer group

Method: PUT

URL: /groups/{customerGroupId}

Headers: X-Token, X-Operator

Request:

```
{
  "name": "customer group name",
  "discount": {
    "id": 14
  }
}
```

Response:

```
{ "customerGroup":
  {
    "id": 1,
    "name": "customer group name",
    "discount": {
      "id": 14,
      "name": "name of discount with id 14"
    }
  }
}
```

Patch customer group

Method: PATCH

URL: /groups/{customerGroupId}

Headers: X-Token, X-Operator

Request:

```
{
  "name": "Edited customer group name"
}
```

Response:

```
{ "customerGroup":
  {
    "id": 1,
    "name": "Edited customer group name",
    "discount": {
      "id": 14,
      "name": "name of discount with id 14"
    }
  }
}
```

Get all customer groups

Method: GET

URL: /groups

Headers: X-Token, X-Operator

Response:

```
{ "customerGroups":
  [
    {
      "id": 1,
      "name": "Edited customer group name",
      "discount": {
        "id": 14,
        "name": "name of discount with id 14"
      }
    },
    {...}
  ]
}
```

Get customer group by id

Method: GET

URL: /groups/{customerGroupId}

Headers: X-Token, X-Operator

Response:

```
{ "customerGroup":
  {
    "id": 1,
    "name": "Edited customer group name",
    "discount": {
      "id": 14,
      "name": "name of discount with id 14"
    }
  }
}
```

Delete customer group

Method: DELETE

URL: /groups/{customerGroupId}

Headers: X-Token, X-Operator

Response:

```
{"result": { "details": "Customer group 1 was deleted" } }
```

Error handling

200 - OK (record stored, changed or deleted, return value returned)

201 - Considered instance or one instance of a list was created on the server side.

400 - Bad Request for any request that is not valid (missing mandatory parameters, too long values, ...)

403 - Unauthorized (check security token or other auth issues).

404 - Not Found (requested instance, business, operator, tenant or URL is absent on the server side).

422 - Incorrect reference which breaks consistency (e.g., reference to an object which is absent).

500 - Server error on any unexpected error (exception).

All errors have similar body-structure in response, for example:

```
{
  "result":
    {
      "status_code": 400,
      "details": "Missing required field: name"
    }
}
```